



# Shandong Tai Shi Te Bearing Co., Ltd.



2.165 Inch | 55 Millimeter x 3.937 Inch | 100  
 Millimeter x 0.827 Inch | 21 Millimeter NTN  
 6211ZZP5 Precision Ball Bearings

Bearing No. 6211ZZP5

6211ZZP5 Bearing 2D drawings and 3D CAD models

Category	Precision Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	0.606
EAN	4547359568202
Product Group	B04270
Enclosure	2 Metal Shields
Precision Class	ABEC 5   ISO P5
Material - Ball	Steel
Number of Bearings	1 (Single)
Contact Angle	0 Degree
Preload	None
Raceway Style	Not Applicable
Cage Material	Steel
Rolling Element	Ball Bearing
Enclosure Type	Non Contact Shield
Flush Ground	No
Inch - Metric	Metric
Other Features	Single Row   Deep Groove
Long Description	55MM Bore; 100MM Outside Diameter; 21MM Width; 2 Metal Shields Enclosure; ABEC 5   ISO P5 Precision; Steel Ball Material; 1 (Single)



## Shandong Tai Shi Te Bearing Co., Ltd.

	Bearings; 0 Degree Contact Angle; Steel Cage Material; Ball Bearing
Category	Precision Ball Bearings
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Deep Groove Ball
Manufacturer URL	<a href="http://www.ntnamerica.com">http://www.ntnamerica.com</a>
Manufacturer Item Number	6211ZZP5
Weight / LBS	1.336
D	3.937 Inch   100 Millimeter
d	2.165 Inch   55 Millimeter
B	0.827 Inch   21 Millimeter
bore diameter:	55 mm
static load capacity:	29200 N
outside diameter:	100 mm
precision rating:	ISO Class 5
overall width:	21 mm
finish/coating:	Uncoated
bore type:	Round
bearing material:	High Carbon Chrome Steel
closure type:	Double Shielded
cage material:	Steel
row type & fill slot:	Single Row Non-Fill Slot
inner ring width:	21 mm
snap ring included:	Without Snap Ring
outer ring width:	21 mm
internal clearance:	CN
maximum rpm (grease):	6400 rpm
operating temperature range:	-40 to 120 ° C



## Shandong Tai Shi Te Bearing Co., Ltd.

fillet radius:	1.5 mm
dynamic load capacity:	43500 N
manufacturer product page:	<a href="#">Click here</a>