



Shandong Tai Shi Te Bearing Co., Ltd.



1313 ETN9 Bearing 2D drawings and 3D CAD models

65 mm x 140 mm x 33 mm SKF 1313 ETN9 Self Aligning Ball Bearings

Bearing No. 1313 ETN9

Category	Self Aligning Ball Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	2.45
EAN	7316576620775
Product Group	B00152
Mounting Method	Shaft
Enclosure	Open
Rolling Element	Ball Bearing
Cage Material	Polyamide
Precision Class	ABEC 1 ISO P0
Internal Clearance	C0-Medium
Number of Rows of Balls	Double Row
Other Features	Allowable Misalignment 3 Deg High Capacity Design
Long Description	65MM Bore; Shaft Mount; 140MM Outside Diameter; 33MM Inner Race Width; 33MM Outer Race Width; Open; Polyamide Cage; Double Row of Balls; ABEC 1 ISO P0; C0-Medium
Inch - Metric	Metric
Category	Self Aligning Ball Bearings
UNSPSC	31171532
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing



Shandong Tai Shi Te Bearing Co., Ltd.

Keyword String	Self Aligning
Manufacturer URL	http://www.skf.com
Manufacturer Item Number	1313 ETN9
Weight / LBS	5.401
Outer Race Width	1.299 Inch 33 Millimeter
d	2.559 Inch 65 Millimeter
D	5.512 Inch 140 Millimeter
Inner Race Width	1.299 Inch 33 Millimeter
bore diameter:	65 mm
precision rating:	Not Rated
outside diameter:	140 mm
maximum rpm:	6000 RPM
overall width:	33 mm
cage material:	Fiberglass Reinforced Nylon
bore type:	Straight
finish/coating:	Uncoated
closure type:	Open
maximum misalignment:	3 °
internal clearance:	C0
outer ring width:	33 mm
dynamic load capacity:	65 kN
fillet radius:	2 mm
static load capacity:	25.5 kN
series:	1300
d	65 mm
D	140 mm
B	33 mm
d ₁	99 mm
D ₁	125.2 mm
r _{1,2} min.	2 mm
d _a min.	77 mm
D _a max.	128 mm



Shandong Tai Shi Te Bearing Co., Ltd.

r_a max.	2 mm
Basic dynamic load rating C	65 kN
Basic static load rating C_0	25.5 kN
Fatigue load limit P_u	1.25 kN
Reference speed	8500 r/min
Limiting speed	6000 r/min
Permissible angular misalignment	3 °
Calculation factor k_r	0.04
Calculation factor e	0.22
Calculation factor Y_0	2.8
Calculation factor Y_1	2.9
Calculation factor Y_2	4.5
Mass bearing	2.45 kg