



# Shandong Tai Shi Te Bearing Co., Ltd.



MSE308BXHFATL Bearing 2D drawings and 3D CAD models

## TIMKEN MSE308BXHFATL Flange Block Bearings

Bearing No. MSE308BXHFATL

Category	Flange Block Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	39.56
EAN	0013992048677
Product Group	B04144
Number of Mounting Holes	4
Mounting Method	Clamp Collar
Housing Style	4 Bolt Round Flange Block
Rolling Element	Cylindrical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Expansion
Mounting Bolts	16 Millimeter
Relubricatable	Yes
Insert Part Number	MSE308BX
Seals	Triple Lip Labyrinth
Housing Configuration	2 Piece Split
Pilot Configuration	No Pilot
Inch - Metric	Inch
Long Description	4 Bolt Round Flange Block; 3-1/2" Bore; 11.9" Bolt Circle; 2 Piece Split; Clamp Collar Mount; Cast Iron; Cylindrical Roller Bearing; 3-17/32" Length Thru Bore; 8.4" Bolt Spacing; R



## Shandong Tai Shi Te Bearing Co., Ltd.

Other Features	Single Row   Wide Inner Ring   Medium Duty
Category	Flange Block Bearings
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Flanged
Manufacturer URL	<a href="http://www.timken.com">http://www.timken.com</a>
Weight / LBS	87.14
Cartridge Pilot Diameter	0 Inch   0 Millimeter
Nominal Bolt Circle Diameter Round	11.9 Inch   302 Millimeter
D	3.531 Inch   89.7 Millimeter
d	3.5 Inch   88.9 Millimeter
Bolt Spacing	8.4 Inch   213.5 Millimeter
Cartridge Pilot Depth	0 Inch   0 Millimeter
Shaft Size	3.5 in
Seal Type	Aluminium Triple Labyrinth
Bearing Type	Split Cylindrical Expansion Type
Support Type	Round Flange
Series Type	Medium Series
Bolt Size	4 x M16
Bearing - Housing - Seal	MSE308BXHATL
Bearing - Housing - Seal UPC	013992061164
Bearing UPC	013992032225
Dimension T	14.0 in
Dimension R	11.9 in
Dimension P	0.7 in
Dimension H	3.4 in
Dimension N	9.625 in
Dimension V	0.1 in



## Shandong Tai Shi Te Bearing Co., Ltd.

Dimension L	6.4 in
Cr - Dynamic Load Rating	66768 lbf
Cor - Static Load Rating	79358 lbf
Maximum Speed	2520 rpm
Note	This product line was formerly known as " Revolve "